



Product Service

Attestation of Conformity

No. N8A 077653 0375 Rev. 00

Holder of Certificate: **Dong Guan City GangQi Electronic Co., Ltd.**
Privately Operated Industrial District, ShiYong
532600 Heng Li Town, Dong Guan, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Product: **Adaptors
(SWITCHING ADAPTER)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 64210200569601

Date, 2021-01-05

(Richard Zhu)

Page 1 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. N8A 077653 0375 Rev. 00

Model(s):

GQ05-xxxyyy-Awz, GQ05-xxxyyy-Aw,
 GQ06-xxxyyy-Awz, GQ06-xxxyyy-Aw,
 GQ05-xxxyyy-Cwz, GQ05-xxxyyy-Cw,
 GQ06-xxxyyy-Cwz, GQ06-xxxyyy-Cw,
 GQ05-050yyy-AwUz, GQ05-050yyy-AwU,
 GQ06-050yyy-AwUz, GQ06-050yyy-AwU,
 GQ05-050yyy-CwUz, GQ05-050yyy-CwU,
 GQ06-050yyy-CwUz, GQ06-050yyy-CwU
 (xxx=050-075 stands for rated output voltage range
 5.0-7.5VDC, with step of 0.1V; yyy=001-120 stands
 for rated output current range 0.01 to 1.2A, with
 step of 0.01A; w=B, G or X stands for different plug
 type, B for British plug, G for European plug, X for
 detachable plug; z=0-9 or A-Z for marketing
 purpose.)

Brand:

3YE



Parameters:

Rated Input: 100-240VAC, 50/60Hz, 0.3A Max
 Rated Output: See below table for details
 Protection Class: II
 Degree of Protection: IP20



Product Service

Attestation of Conformity

No. N8A 077653 0375 Rev. 00

Model No.	Output Voltage (VDC)	Output Current (A)	Max. Output Power (W)
GQ05-xxxxyy-Awz, GQ05-xxxxyy-Aw, GQ06-xxxxyy-Awz, GQ06-xxxxyy-Aw	5.0-7.5	0.01-1.20	6.0
GQ05-xxxxyy-Cwz, GQ05-xxxxyy-Cw, GQ06-xxxxyy-Cwz, GQ06-xxxxyy-Cw			
GQ05-050yyy-AwUz, GQ05-050yyy-AwU, GQ06-050yyy-AwUz, GQ06-050yyy-AwU	5.0	0.01-1.20	6.0
GQ05-050yyy-CwUz, GQ05-050yyy-CwU, GQ06-050yyy-CwUz, GQ06-050yyy-CwU			

Tested according to:

EN 62368-1:2014/A11:2017